

- removal of heavy metals from wastewater, *Chemical Engineering Journal*, **263**, 55–61.
- Maas R. and Chaudhari S. (2005). Adsorption and biological decolorization of azo dye Reactive Red 2 in semicontinuous anaerobic reactors, *Process Biochemistry*, **40**(2), 699–705.
- Mahmoodi N.M., Arami M. and Limaee N.Y. (2006). Photocatalytic degradation of triazinic ring-containing azo dye (Reactive Red 198) by using immobilized TiO₂ photoreactor: bench scale study, *Journal of Hazardous Materials*, **133**(1), 113–118.
- Moraci N. and Calabrò P.S. (2010). Heavy metals removal and hydraulic performance in zero-valent iron/pumice permeable reactive barriers, *Journal of Environmental Management*, **91**(11), 2336–2341.
- Mortazavi S., Asgari G., Hashemian S. and Moussavi G. (2010). Degradation of humic acids through heterogeneous catalytic ozonation with bone charcoal, *Reaction Kinetics, Mechanisms and Catalysis*, **100**(2), 471–485.
- Munagapati V.S., Wen J.-C., Pan C.-L., Gutha Y., Wen J.-H. and Reddy G.M. (2020). Adsorptive removal of anionic dye (Reactive Black 5) from aqueous solution using chemically modified banana peel powder: kinetic, isotherm, thermodynamic, and reusability studies, *International Journal of Phytoremediation*, **22**(3), 267–278.
- Nachiappan S. and Muthukumar K. (2010). Intensification of textile effluent chemical oxygen demand reduction by innovative hybrid methods, *Chemical Engineering Journal*, **163**(3), 344–354.
- Oller I., Malato S. and Sánchez-Pérez J. (2011). Combination of advanced oxidation processes and biological treatments for wastewater decontamination—a review, *Science of the Total Environment*, **409**(20), 4141–4166.
- Parsaeian M.R., Dadfarnia S., Haji Shabani A.M. and Hafezi Moghaddam R. (2020). Green synthesis of a high capacity magnetic polymer nanocomposite sorbent based on the natural products for removal of Reactive Black 5, *International Journal of Environmental Analytical Chemistry*, 1–15.
- Pearce C., Lloyd J. and Guthrie J. (2003). The removal of colour from textile wastewater using whole bacterial cells: a review, *Dyes and Pigments*, **58**(3), 179–196.
- Qu X., Zheng J. and Zhang Y. (2007). Catalytic ozonation of phenolic wastewater with activated carbon fiber in a fluid bed reactor, *Journal of Colloid and Interface Science*, **309**(2), 429–434.
- Rahmani A., Nouri J., Kamal Ghadiri S., Mahvi A. and Zare M.R. (2010). Adsorption of fluoride from water by Al³⁺ and Fe³⁺ pretreated natural Iranian zeolites, *International Journal of Environmental Research*, **4**(4), 607–614.
- Robinson T., McMullan G., Marchant R. and Nigam P. (2001). Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative, *Bioresource Technology*, **77**(3), 247–255.
- Samarghandi M., Siboni M., Maleki A., Jafari S.J. and Nazemi F. (2011). Kinetic determination and efficiency of titanium dioxide photocatalytic process in Removal of Reactive Black 5 (RB5) dye and cyanide from aquatic solution, *Journal of Mazandaran University of Medical Sciences*, **21**(81), 44–52.
- Shi L.-n., Zhang X. and Chen Z.-l. (2011). Removal of chromium (VI) from wastewater using bentonite-supported nanoscale zero-valent iron, *Water Research*, **45**(2), 886–892.
- Somasiri W., Li X.-F., Ruan W.-Q. and Jian C. (2008). Evaluation of the efficacy of upflow anaerobic sludge blanket reactor in removal of colour and reduction of COD in real textile wastewater, *Bioresource Technology*, **99**(9), 3692–3699.
- Tekin H., Bilkay O., Ataberk S.S., Balta T.H., Ceribasi I.H., Sanin F.D., Dilek F.B. and Yetis U. (2006). Use of Fenton oxidation to improve the biodegradability of a pharmaceutical wastewater, *Journal of Hazardous Materials*, **136**(2), 258–265.
- Valdés H., Farfán V.J., Manoli J.A. and Zaror C.A. (2009). Catalytic ozone aqueous decomposition promoted by natural zeolite and volcanic sand, *Journal of Hazardous Materials*, **165**(1), 915–922.
- Wang Y., Chen K., Mo L., Li J. and Xu J. (2014). Optimization of coagulation–flocculation process for papermaking-reconstituted tobacco slice wastewater treatment using response surface methodology, *Journal of Industrial and Engineering Chemistry*, **20**(2), 391–396.
- Weng C.-H., Lin Y.-T., Chang C.-K. and Liu N. (2013). Decolorization of direct blue 15 by Fenton/ultrasonic process using a zero-valent iron aggregate catalyst, *Ultrasonics Sonochemistry*, **20**(3), 970–977.
- Xu B., Wu F., Zhao X. and Liao H. (2010). Benzotriazole removal from water by Zn–Al–O binary metal oxide adsorbent: Behavior, kinetics and mechanism, *Journal of Hazardous Materials*, **184**(1), 147–155.
- Yavuz M., Gode F., Pehlivan E., Ozmert S. and Sharma Y.C. (2008). An economic removal of Cu²⁺ and Cr³⁺ on the new adsorbents: Pumice and polyacrylonitrile/pumice composite, *Chemical Engineering Journal* **137**(3), 453–461.
- Yazdanbakhsh A., Rahmani A., Massoudinejad M., Jafari M. and Dashtdar M. (2016). Accelerating the solar disinfection process of water using modified compound parabolic concentrators (CPCs) mirror. *Desalination and Water Treatment*, **57**(50), 23719–23727.
- Zúñiga-Benítez H., Soltan J. and Peñuela G. (2014). Ultrasonic degradation of 1-H-benzotriazole in water, *Water Science and Technology*, **70**(1), 152–159.